

3 Volt Voltage Variable Absorptive Attenuator 40 dB, 0.5 - 2.0 GHz

Rev. V1

Features

- Single Positive Voltage Control: 0 to +3 Volts
- 40 dB Attenuation Range at 0.9 GHz
- ± 2 dB Linearity from BSL
- Low DC Power Consumption
- Lead-Free SOIC-8 Plastic Package
- 100% Matte Tin Plating over Copper
- Halogen-Free "Green" Mold Compound
- 260°C Reflow Compatible
- RoHS* Compliant Version of AT-113

Description

M/A-COM's MAAV-008022 is a GaAs MMIC voltage variable absorptive attenuator in a lead-free low-cost SOIC 8-lead surface mount plastic package. The MAAV-008022 is ideally suited for use where linear attenuation fine tuning and very low power consumption are required.

Typical applications include radio, cellular, GPS equipment and automatic gain/level control circuits.


The MAAV-008022 is fabricated with a monolithic GaAs MMIC using a mature 1-micron process. The process features full chip passivation for increased performance and reliability.

Ordering Information ¹

Part Number	Package
MAAV-008022-000000	Bulk Packaging
MAAV-008022-TR3000	3000 piece reel

1. Reference Application Note M513 for reel size information.

Functional Schematic ^{2,3,4,5}



- 2. V_{CC} = +3 VDC @ 50 μ A maximum.
- 3. $V_C = 0$ VDC to +3 VDC @ 50 μ A maximum.
- 4. External DC blocking capacitors are required on all RF ports.
- 5. 39 pF used for data measurements.

Pin Configuration

Pin No.	Function	Pin No.	Function
1	Ground	5	V _C
2	Ground	6	Ground
3	RF Port	7	RF Port
4	V _{cc}	8	Ground

Absolute Maximum Ratings ⁶

Parameter	Absolute Maximum		
Input Power	+21 dBm		
Supply Voltage V _{CC}	-1 V <u><</u> V _{CC} <u><</u> +8 V		
Control Voltage V _C	$-1 \text{ V} \leq \text{V}_{\text{C}} \leq \text{V}_{\text{CC}} + 0.5 \text{ V}$		
Operating Temperature	-40°C to +85°C		
Storage Temperature	-65°C to +150°C		

6. Exceeding any one or combination of these limits may cause permanent damage to this device.

ADVANCED: Data Sheets contain information regarding a product M/A-COM Technology Solutions is considering for development. Performance is based on target specifications, simulated results, and/or prototype measurements. Commitment to develop is not guaranteed. PRELIMINARY: Data Sheets contain information regarding a product M/A-COM Technology Solutions has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available.

- North America Tel: 800.366.2266 / Fax: 978.366.2266
- Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300
- Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298
 Visit www.macomtech.com for additional data sheets and product information.

^{*} Restrictions on Hazardous Substances, European Directive 2002/95/EC.



3 Volt Voltage Variable Absorptive Attenuator 40 dB, 0.5 - 2.0 GHz


Rev. V1

Electrical Specifications 7 : $T_A = 25^{\circ}C$, $Z_0 = 50 \Omega$

Parameter	Test Conditions	Units	Min	Тур	Max
Insertion Loss	0.5 - 1.0 GHz 1.0 - 2.0 GHz	dB dB	_	2.7 3.0	3.0 3.5
Attenuation (Relative to Insertion Loss)	Frequency = 0.5 - 2.0 GHz Vc = 0.0 V (max. atten.) Vc = 0.5 V Vc = 1.5 V Vc = 2.7 V	dB dB dB dB	34 26 12.5 —	35 30 15 .5	 17.5 0.7
Slope (at any point on the curve)	Vc delta 0.5 V - 1.5 V Vc delta 1.5 V - 2.7 V	dB/V dB/V	10 0	15 14	23 17
VSWR	_	Ratio	_	2:1	_
Trise, Tfall	10% to 90% RF, 90% to 10% RF	μS	_	10	_
Ton, Toff	50% Control to 90% RF, 50% Control to 10% RF	μS	_	12	_
Transients	In-band	mV	_	10	_

^{7.} The RF ports must be blocked outside of the package from ground or any other voltage.

Lead-Free SOIC-8[†]



Reference Application Note M538 for lead-free solder reflow recommendations. Meets JEDEC moisture sensitivity level 1 requirements.

PRELIMINARY: Data Sheets contain information regarding a product M/A-COM Technology Solutions has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available. Commitment to produce in volume is not guaranteed.

ADVANCED: Data Sheets contain information regarding a product M/A-COM Technology Solutions is considering for development. Performance is based on target specifications, simulated results, and/or prototype measurements. Commitment to develop is not guaranteed.

PRELIMINARY: Data Sheets contain information regarding a product M/A-COM Technology

[•] North America Tel: 800.366.2266 / Fax: 978.366.2266

[•] Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300

Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298
 Visit www.macomtech.com for additional data sheets and product information.




3 Volt Voltage Variable Absorptive Attenuator 40 dB, 0.5 - 2.0 GHz


Rev. V1

Typical Performance Curves @ 25°C


Attenuation vs. Control Voltage




Insertion Loss vs. Frequency




1 dB Compression vs. Control Voltage




Attenuation vs. Frequency @ 0V



Return Loss vs. Control Voltage, F = 900 MHz



IP3 vs. Control Voltage



- ADVANCED: Data Sheets contain information regarding a product M/A-COM Technology Solutions is considering for development. Performance is based on target specifications, simulated results, and/or prototype measurements. Commitment to develop is not guaranteed. PRELIMINARY: Data Sheets contain information regarding a product M/A-COM Technology
- **PRELIMINARY:** Data Sheets contain information regarding a product M/A-COM Technology Solutions has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available. Commitment to produce in volume is not guaranteed.
- North America Tel: 800.366.2266 / Fax: 978.366.2266
- Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300
- Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298
 Visit www.macomtech.com for additional data sheets and product information.

MAAV-008022




3 Volt Voltage Variable Absorptive Attenuator 40 dB, 0.5 - 2.0 GHz

Rev. V1

Typical Performance Curves @ 25°C

Attenuation vs. Temperature Normalized @ 25°C, F = 900 MHz



Handling Procedures

Please observe the following precautions to avoid damage:

Static Sensitivity

Gallium Arsenide Integrated Circuits are sensitive to electrostatic discharge (ESD) and can be damaged by static electricity. Proper ESD control techniques should be used when handling these devices.

- North America Tel: 800.366.2266 / Fax: 978.366.2266
- Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300
- Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298
 Visit www.macomtech.com for additional data sheets and product information.