

No. : CE/2013/63384 Date : 2013/06/26 Page : 1 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY

The following sample(s) was/were submitted and identified by/on behalf of the applicant as :

Sample Submitted By	:	NORDIC SEMICONDUCTOR ASA
Sample Description	:	IC TRANSCEIVER
Style/Item No.	:	nRF9X5
Buyer/Order No.	:	PO-0004016
Other Info.	:	MANUFACTURED AT ATP (W/CU WIRE)
Sample Receiving Date	:	2013/06/19
Testing Period	:	2013/06/19 TO 2013/06/26

Test Result(s)

: Please refer to next page(s).





No. : CE/2013/63384 Date : 2013/06/26 Page : 2 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY

Test Result(s)

PART NAME No.1 : IC TRANSCEIVER

Test Item(s)	Unit	Method	MDL	Result
rest ttem(s)	Onit			No.1
Cadmium (Cd)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Lead (Pb)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	13
Mercury (Hg)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.
Antimony (Sb)	mg/kg	With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.
PFOA (CAS No.: 335-67-1)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.
BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.
DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.
DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.



No. : CE/2013/63384

Date : 2013/06/26 Page : 3 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY

	Unit	Mathad	MDL	Result
Test Item(s)	Unit	Method	WIDL	No.1
Halogen				
Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	n.d.
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)	mg/kg	With reference to BS EN 14582:2007.	50	n.d.
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	Analysis was performed by IC.	50	n.d.
Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.
Sum of PBBs	mg/kg		-	n.d.
Monobromobiphenyl	mg/kg	1	5	n.d.
Dibromobiphenyl	mg/kg	1	5	n.d.
Tribromobiphenyl	mg/kg	1	5	n.d.
Tetrabromobiphenyl	mg/kg	1	5	n.d.
Pentabromobiphenyl	mg/kg]	5	n.d.
Hexabromobiphenyl	mg/kg	With reference to IEC 62321: 2008 and performed by GC/MS.	5	n.d.
Heptabromobiphenyl	mg/kg		5	n.d.
Octabromobiphenyl	mg/kg		5	n.d.
Nonabromobiphenyl	mg/kg		5	n.d.
Decabromobiphenyl	mg/kg		5	n.d.
Sum of PBDEs	mg/kg		-	n.d.
Monobromodiphenyl ether	mg/kg	1	5	n.d.
Dibromodiphenyl ether	mg/kg		5	n.d.
Tribromodiphenyl ether	mg/kg		5	n.d.
Tetrabromodiphenyl ether	mg/kg		5	n.d.
Pentabromodiphenyl ether	mg/kg		5	n.d.
Hexabromodiphenyl ether	mg/kg		5	n.d.
Heptabromodiphenyl ether	mg/kg		5	n.d.
Octabromodiphenyl ether	mg/kg		5	n.d.
Nonabromodiphenyl ether	mg/kg		5	n.d.
Decabromodiphenyl ether	mg/kg] [5	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No. : CE/2013/63384 Date : 2013/06/26 Page : 4 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY

Note :

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected
- 3. MDL = Method Detection Limit
- 4. " " = Not Regulated

PFOS Reference Information : POPs - (EU) 757/2010

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m².

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an




No. : CE/2013/63384 Date : 2013/06/26 I

Page : 5 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY

- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart. $(Cr^{6+} test method excluded)$
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang



Note** : (1) For non-metallic material, add alkaline digestion reagent and heat to 90~95 °C.
(2) For metallic material, add pure water and heat to boiling.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document can be reproduced, except in full, without prior w




No. : CE/2013/63384 Date : 2013/06/26 Page : 6 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY

- These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang

Flow Chart of digestion for the elements analysis performed by ICP-AES



Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂
Glass	HNO ₃ /HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO ₃
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI
Others	Added appropriate reagent to total digestion




No. : CE/2013/63384 Date : 2013/06/26 Page : 7 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY

PFOA/PFOS analytical flow chart of Ultrasonic extraction (LC/MS) procedure

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Documentapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.




No. : CE/2013/63384 Date : 2013/06/26 Page : 8 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY

Analytical flow chart of phthalate content

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No. : CE/2013/63384 Date : 2013/06/26 Page : 9 of 11

ge : 9 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY

Analytical flow chart of halogen content


- Name of the person who made measurement: Rita Chen
- Name of the person in charge of measurement: Troy Chang





No. : CE/2013/63384 Date : 2013/06/26 Page : 10 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY






No. : CE/2013/63384 Date : 2013/06/26 Page : 11 of 11

564 Date 2015/06/26 Page 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY

* The tested sample / part is marked by an arrow if it's shown on the photo. *



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Documentapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.