




REVISION HISTORY					
ECN	ZONE	REV	DESCRIPTION	DATE	APPROVED
		-	ENG RELEASE	5/4/2011	T.MONTIERTH




METAL LAYER 1 TOP




- NOTES: UNLESS OTHERWISE SPECIFIED
- MATERIAL:**
    - DIELECTRIC LAYER 1 - ROGERS 3203, 0.020 THICK
    - METAL LAYER 1 - 2 - 1.0 OZ. COPPER
    - SOLDERMASK - BLUE
    - SILKSCREEN - WHITE
  - SOLDERMASK IN AREAS INDICATED. 0.001 INCHES THICK MAX
  - COPPER IS PULLED BACK 0.003 ON METAL LAYER 1 (TOP), METAL LAYER 2 (BOTTOM), FROM EDGE OF PCB.
  - PLATING:**
    - A. ELECTROPLATE COPPER 0.0012 INCH THICK
    - B. IMMERSION GOLD (2-6um) IAW IPC-4552 CLASS 38.
  - SLOT SHALL NOT BE PLATED THRU.
  - CONDUCTOR WIDTHS AND SPACING TO BE WITHIN 0.001 INCHES OF CAD DATA BASE.
  - ALL HOLES TO BE LOCATED WITHIN ± 0.0015 INCHES OF CAD DATABASE.
  - ALL BURRS SHALL BE REMOVED.
  - FABRICATE IN ACCORDANCE WITH IPC 6012A, CLASS 2 PER IPC 6011.

		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:  DECIMALS      ANGLES .XX± .01        ± .1' .XXX± .005 .XXXX± .0010  DO NOT SCALE DRAWING	CONTRACT OR PRODUCT LINE		<div><b>TriQuint</b> </div> <div>SEMICONDUCTOR</div>		500 W RENNER RD RICHARDSON TX 75080 TEL 972.994.8200 FAX 972.994.8504	
				APPROVALS	DATE	TITLE  T1G6001528-Q3, REV 2  PRINTED CIRCUIT BOARD		
			DRAWN T.MONTIERTH	5/4/2011				
		CHECKED						
		THIS DRAWING CONTAINS PROPRIETARY INFORMATION THAT MAY NOT BE USED WITHOUT THE WRITTEN CONSENT OF TRIQUINT SEMICONDUCTOR. FAILURE TO COMPLY MAY RESULT IN LEGAL ACTIONS OR CRIMINAL PROSECUTION	ENGR		SIZE	CAGE CODE	DWG NO	REV
			MFG		B	1CVM1	DP00690	-
NEXT ASSY	USED ON		QA		SCALE	CADFILE AD1_DP00690.idw		SHEET 1 OF 3
APPLICATION								



SIZE	CAGE CODE	DWG NO	REV
B	1CVM1	DP00690	-
SCALE	CADFILE	SHEET	OF
AD1	DP00690.idw	2	3



SILKSCREEN

DRILL

DRILL TABLE			
SYMBOL	SIZE	QTY	DESCRIPTION
A	.031	513	PTH
B	.125	8	PTH

SIZE	CAGE CODE	DWG NO	REV
B	1CVM1	DP00690	-
SCALE	CADFILE	SHEET	OF
	AD1_DP00690.idw	3	3